

**HL Trash container**

Length options 5-6,5m

Height 2m



**Container 4m<sup>3</sup>, 6m<sup>3</sup>, 8m<sup>3</sup>**



### Trash container

Base 3mm, sivu 3mm S-235

5,5x2,45x1,2m -1580kg

6,0x2,45x1,2m- 1670kg

Base-4mm, sivu-3mm S235

6.0x2,45x1,2m- 1800 kg

6.0x2.45x1.5m- 2080 kg

6.0x2.45x2.0m- 2450 kg

6.0x2.45x2.5m- 2800 kg



### Earth-moving platform

Base 6mm Hardoksia

Sides 4mm Hardoksia

5,5x 2,55 x0,7m

6,1x 2,55 x0,7m

Comes standard with hydraulic backplate. Optional heated base.



Standard equipment in all platforms:

- Hook an cable mounting
- Rollers
- Rivet welding
- Covered hooks
- Ladder
- Blue colour
- High container also have side- releases.



### **Machinery transpor platforms**

Load capacity 16 t

Length 6 - 7,5 m

Load capacity 12 t

Length 5 - 7m

### **Romulava**

Base 5mm, sides 3mm S355

6,1 x 2,55 x 1.25m -2100kg

6,1x2,55x1,50m -2400kg

6,1x2,55x2,10m -2800kg

6,1x2,55x2,55m -3100kg



### **Covers and lifting**

All containers can be fitted with covers. Cover options include: hydraulic covers, rolling plastic covers, metallic sliding covers.

**Chip container**

Base 4mm, sivu3mm

Tank 750 l

6,5x2,35x1,6m -3100kg



*All RAL-colours are possible.*

